

---

## Parallel Algorithms

---

*Due date: November 24th, 2014 before class!*

### Problem 1 (10 Points)

Show how to reduce the merging of two sorted sequences of lengths  $n$  and  $m$  to the ANSV problem corresponding to an array of length  $n + m$ .

### Problem 2 (10 Points)

Recall: A binary sequence is *bitonic* if it is a concatenation of two subsequences such that one is monotonically increasing and the other is monotonically decreasing, or vice versa. A sequence  $X = (x_0, \dots, x_{n-1})$  is *bitonic* if, for some  $j < n$ , we have

$$\begin{aligned}x_{j \bmod n} &\leq x_{(j+1) \bmod n} \leq \dots \leq x_{\ell \bmod n} \quad \text{and} \\x_{(\ell+1) \bmod n} &\geq x_{(\ell+2) \bmod n} \geq \dots \geq x_{(j+n-1) \bmod n}\end{aligned}$$

for some  $\ell$ . That is, the circle  $x_0 \rightarrow x_1 \rightarrow \dots \rightarrow x_{n-1} \rightarrow x_0$  can be partitioned into two monotonic parts.

Show the zero-one principle for bitonic sequences: An  $n$ -input comparator network is a bitonic merging network if and only if it merges correctly all binary bitonic sequences of length  $n$ .

### Problem 3 (10 Points)

Show that a bitonic merging network can be constructed as follows:

- Given a bitonic sequence, merge  $(x_1, x_3, x_5, \dots)$  and  $(x_2, x_4, x_6, \dots)$  in bitonic mergers whose lines are interleaved,
- compare and interchange the outputs in pairs  $(x_1, x_2), (x_3, x_4), (x_5, x_6), \dots$