# **Complementary Slackness**

#### Lemma 2

Assume a linear program  $P = \max\{c^T x \mid Ax \le b; x \ge 0\}$  has solution  $x^*$  and its dual  $D = \min\{b^T y \mid A^T y \ge c; y \ge 0\}$  has solution  $y^*$ .

- **1.** If  $x_i^* > 0$  then the *j*-th constraint in *D* is tight.
- **2.** If the *j*-th constraint in D is not tight than  $x_i^* = 0$ .
- **3.** If  $y_i^* > 0$  then the *i*-th constraint in *P* is tight.
- **4.** If the *i*-th constraint in *P* is not tight than  $y_i^* = 0$ .

If we say that a variable  $x_j^*$  ( $y_i^*$ ) has slack if  $x_j^* > 0$  ( $y_i^* > 0$ ), (i.e., the corresponding variable restriction is not tight) and a contraint has slack if it is not tight, then the above says that for a primal-dual solution pair it is not possible that a constraint **and** its corresponding (dual) variable has slack.

EADS II ©Harald Räcke

## **Proof: Complementary Slackness**

Analogous to the proof of weak duality we obtain

 $c^T x^* \le y^{*T} A x^* \le b^T y^*$ 

Because of strong duality we then get

$$c^T x^* = y^{*T} A x^* = b^T y^*$$

This gives e.g.

$$\sum_{j} (\mathcal{Y}^T A - c^T)_j x_j^* = 0$$

From the constraint of the dual it follows that  $y^T A \ge c^T$ . Hence the left hand side is a sum over the product of non-negative numbers. Hence, if e.g.  $(y^T A - c^T)_j > 0$  (the *j*-th constraint in the dual is not tight) then  $x_j = 0$  (2.). The result for (1./3./4.) follows similarly.



### **Interpretation of Dual Variables**

Brewer: find mix of ale and beer that maximizes profits

 $\max 13a + 23b$ s.t.  $5a + 15b \le 480$  $4a + 4b \le 160$  $35a + 20b \le 1190$  $a, b \ge 0$ 

Entrepeneur: buy resources from brewer at minimum cost C, H, M: unit price for corn, hops and malt.

min	480 <i>C</i>	+	160H	+	1190M	
s.t.	5 <i>C</i>	+	4H	+	35 <i>M</i>	$\geq 13$
	15 <i>C</i>	+	4H	+	20M	$\geq 23$
					C, H, M	≥ 0

Note that brewer won't sell (at least not all) if e.g. 5C + 4H + 35M < 13 as then brewing ale would be advantageous.

## **Interpretation of Dual Variables**

#### **Marginal Price:**

- How much money is the brewer willing to pay for additional amount of Corn, Hops, or Malt?
- We are interested in the marginal price, i.e., what happens if we increase the amount of Corn, Hops, and Malt by ε<sub>C</sub>, ε<sub>H</sub>, and ε<sub>M</sub>, respectively.

The profit increases to  $\max\{c^T x \mid Ax \le b + \varepsilon; x \ge 0\}$ . Because of strong duality this is equal to

$$\begin{array}{ccc} \min & (b^T + \epsilon^T)y \\ \text{s.t.} & A^Ty \geq c \\ & y \geq 0 \end{array}$$




## **Interpretation of Dual Variables**

If  $\epsilon$  is "small" enough then the optimum dual solution  $\gamma^*$  might not change. Therefore the profit increases by  $\sum_i \epsilon_i \gamma_i^*$ .


Therefore we can interpret the dual variables as marginal prices.

Note that with this interpretation, complementary slackness becomes obvious.

- If the brewer has slack of some resource (e.g. corn) then he is not willing to pay anything for it (corresponding dual variable is zero).
- If the dual variable for some resource is non-zero, then an increase of this resource increases the profit of the brewer. Hence, it makes no sense to have left-overs of this resource. Therefore its slack must be zero.



# Example



The change in profit when increasing hops by one unit is  $=\underbrace{c_B^T A_B^{-1}}_{\gamma^*}e_h.$  Of course, the previous argument about the increase in the primal objective only holds for the non-degenerate case.

If the optimum basis is degenerate then increasing the supply of one resource may not allow the objective value to increase.



### **Flows**

#### **Definition 3**

An (s, t)-flow in a (complete) directed graph  $G = (V, V \times V, c)$  is a function  $f : V \times V \mapsto \mathbb{R}_0^+$  that satisfies

**1.** For each edge (x, y)

 $0 \leq f_{xy} \leq c_{xy}$  .

(capacity constraints)

**2.** For each  $v \in V \setminus \{s, t\}$ 

$$\sum_{X} f_{vx} = \sum_{X} f_{xv} \ .$$

(flow conservation constraints)



### **Flows**

### **Definition 4** The value of an (s, t)-flow f is defined as

$$\operatorname{val}(f) = \sum_{X} f_{SX} - \sum_{X} f_{XS} .$$

#### Maximum Flow Problem:

Find an (s, t)-flow with maximum value.



max		$\sum_{z} f_{sz} - \sum_{z} f_{zs}$			
s.t.	$\forall (z, w) \in V \times V$	$f_{zw}$	$\leq$	$C_{ZW}$	$\ell_{zw}$
	$\forall w \neq s, t$	$\sum_{z} f_{zw} - \sum_{z} f_{wz}$	=	0	$p_w$
		$f_{zw}$	$\geq$	0	

min		$\sum_{(xy)} c_{xy} \ell_{xy}$		
s.t.	$f_{xy}(x, y \neq s, t)$ :	$1\ell_{xy}-1p_x+1p_y$	$\geq$	0
	$f_{sy}(y \neq s,t)$ :	$1\ell_{sy}$ $+1p_y$	$\geq$	1
	$f_{xs} (x \neq s, t)$ :	$1\ell_{xs}-1p_x$	$\geq$	-1
	$f_{ty}(y \neq s,t)$ :	$1\ell_{ty}$ $+1p_y$	$\geq$	0
	$f_{xt} (x \neq s, t)$ :	$1\ell_{xt}-1p_x$	$\geq$	0
	$f_{st}$ :	$1\ell_{st}$	$\geq$	1
	$f_{ts}$ :	$1\ell_{ts}$	$\geq$	-1
		$\ell_{xy}$	≥	0






with  $p_t = 0$  and  $p_s = 1$ .



We can interpret the  $\ell_{xy}$  value as assigning a length to every edge.

The value  $p_x$  for a variable, then can be seen as the distance of x to t (where the distance from s to t is required to be 1 since  $p_s = 1$ ).

The constraint  $p_x \leq \ell_{xy} + p_y$  then simply follows from triangle inequality ( $d(x,t) \leq d(x,y) + d(y,t) \Rightarrow d(x,t) \leq \ell_{xy} + d(y,t)$ ).



One can show that there is an optimum LP-solution for the dual problem that gives an integral assignment of variables.

This means  $p_{\chi} = 1$  or  $p_{\chi} = 0$  for our case. This gives rise to a cut in the graph with vertices having value 1 on one side and the other vertices on the other side. The objective function then evaluates the capacity of this cut.

This shows that the Maxflow/Mincut theorem follows from linear programming duality.

