

## References

- [1] S. Abramowski, B. Lang, and H. Müller. Moving regular  $k$ -gons in contact. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 229–242. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [2] M. Bauderon. On systems of equations defining infinite graphs. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 54–73. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [3] J. Biskup and H. Stiefeling. Transitive closure algorithms for very large databases. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 122–147. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [4] H.L. Bodlaender. Nc-algorithms for graphs with small treewidth. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 1–10. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [5] B. Courcelle. The monadic second-order logic of graphs. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 30–53. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [6] M.T. de Berg and M.H. Overmars. Dominance in the presence of obstacles. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88*

(Amsterdam, The Netherlands, June 15-17, 1988), volume 344 of *LNCS*, pages 190–201. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.

- [7] A. Habel. Graph-theoretic properties compatible with graph derivations. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG’88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 11–29. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [8] P.H. Hartel. The average size of ordered binary subgraphs. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG’88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 327–351. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [9] K. Hinrichs, J. Nievergelt, and P. Schorn. A sweep algorithm and its implementation. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG’88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 442–457. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [10] U. Huckenbeck. On paths in search or decision trees which require almost worst-case time. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG’88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 406–423. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [11] S. Iwanowski. Linear time algorithms for testing approximate congruence in the plane. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG’88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 213–228. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.

- [12] R. Jayakumar, K. Thulasiraman, and M.N.S. Swamy.  $o(n^2)$  algorithms for graph planarization. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 352–377. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [13] H. Kaeslin. Application of graph theory to topology generation for logic gates. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 304–316. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [14] R. Klein. Voronoi diagrams in the moscow metric. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 434–441. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [15] E. Korach and Z. Ostfeld. Dfs tree construction. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 87–106. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [16] A. Lingas. Greedy triangulation can be efficiently implemented in the average case. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 253–261. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [17] U.W. Lipeck and D. Feng. Construction of deterministic transition graphs from dynamic integrity constraints. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands,*

*(Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 166–179. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.

- [18] A. Marchetti-Spaccamela. On the estimate of the size of a directed graph. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 317–326. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [19] E.W. Mayr and C.G. Plaxton. On the spanning trees of weighted graphs. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 394–405. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [20] H. Meijer and R. Dawes. Fault tolerant networks of specified diameter. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 74–86. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [21] O. Nurmi and J.-R. Sack. Separating a polyhedron by one translation from a set of obstacles. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 202–212. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [22] W. Preilowski and W. Mumbeck. A time-optimal parallel algorithm for the computing of voronoi-diagrams. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 424–433. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.

- [23] N. Santoro. (time x space)-efficient implementations of hierarchical conceptual models. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 180–189. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [24] J.E. Savage and M.G. Wloka. A parallel algorithm for channel routing. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 288–303. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [25] M. Schimmler and H. Schröder. A simple systolic method to find all bridges of an undirected graph. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 262–267. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [26] D. Seipel. A graph-based decomposition approach for recursive query processing. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 148–165. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [27] I.A. Stewart. Colouring perfect planar graphs in parallel. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 268–275. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [28] T. Takaoka. An efficient parallel algorithm for the all pairs shortest path problem. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*,

pages 276–287. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.

- [29] K. Vidyasankar. Serializable graphs. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 107–121. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [30] M. Wiegers and B. Monien. Bandwidth and profile minimization. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 378–393. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.
- [31] G. Wöginger. Epsilon-nets for halfplanes. In J. van Leeuwen, editor, *Proceedings of the 14th International Workshop on Graph-Theoretic Concepts in Computer Science, WG'88 (Amsterdam, The Netherlands, June 15-17, 1988)*, volume 344 of *LNCS*, pages 243–252. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1989.