References

[1] A. Aggarwal and A.K. Chandra. Communication complexity of prams (preliminary version). In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 1–17. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[2] L. Albert and F. Fages. Average case complexity analysis of the rete multi-pattern match algorithm. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 18–37. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[3] S. Arnborg, J. Lagergren, and D. Seese. Problems easy for tree-decomposable graphs (extended abstract). In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 38–51. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[4] R.J.R. Back and R. Kurki-Suonio. Serializability in distributed systems with handshaking. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 52–66. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[5] C. Bajaj and M.-S. Kim. Algorithms for planar geometric models. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 67–81. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[6] G.M. Benedek and A. Itai. Nonuniform learnability. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium*

on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988), volume 317 of *LNCS*, pages 82–92. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[7] J. Berstel and C. Reutenauer. Zeta functions of recognizable languages. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 93–104. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[8] H.L. Bodlaender. Dynamic programming on graphs with bounded treewidth. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 105–118. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[9] J.H. Chang, O.H. Ibarra, and M.A. Palis. Efficient simulations of simple models of parallel computation by time-bounded atm's and space-bounded tm's. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 119–132. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[10] R. Cole, J. Salowe, W.L. Steiger, and E. Szemerédi. Optimal slope selection. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 133–146. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[11] R. Cori and Y. Métivier. Approximation of a trace, asynchronous automata and the ordering of events in a distributed system. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*,

pages 147–161. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[12] K. Culik II. New techniques for proving the decidability of equivalence problems. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 162–175. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[13] V. Diekert. Transitive orientations, möbius functions, and complete semi-thue systems for free partially commutative monoids. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 176–187. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[14] M. Dietzfelbinger and W. Maass. The complexity of matrix transposition on one-tape off-line turing machines with output tape. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 188–200. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[15] H. Edelsbrunner. Geometric structures in computational geometry. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 201–213. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[16] H. Edelsbrunner, L. Guibas, J. Pach, R. Pollack, R. Seidel, and M. Sharir. Arrangements of curves in the plane - topology, combinatorics, and algorithms. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 214–229. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[17] D. Eppstein. Reset sequences for finite automata with application to design of parts orienters. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 230–238. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[18] P. Flajolet, D. Gardy, and L. Thimonier. Random allocations and probabilistic languages. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 239–253. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[19] J. Gruska. Systolic architectures, systems and computations. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 254–270. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[20] J. Hartmanis. New developments in structural complexity theory. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 271–286. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[21] C. Kirchner, H. Kirchner, and J. Meseguer. Operational semantics of obj-3. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 287–301. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[22] P. Kirschenhofer, H. Prodinger, and W. Szpankowski. Do we really need to balance patricia tries. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15,*

1988), volume 317 of *LNCS*, pages 302–316. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[23] J.N. Kok and J.J.M.M. Rutten. Contractions in comparing concurrency semantics. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 317–332. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[24] C.P. Kruskal, L. Rudolph, and M. Snir. A complexity theory of efficient parallel algorithms. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 333–346. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[25] L. Kučera, A. Marchetti-Spaccamela, and M. Protasi. On the learnability of dnf formulae. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 347–361. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[26] C. Lautemann. Efficient algorithms on context-free graph languages. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 362–378. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[27] T. Lengauer and E. Wanke. Efficient analysis of graph properties on context-free graph languages (extended abstract). In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 379–393. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[28] A. Lingas and M.M. Syslo. A polynomial-time algorithm for subgraph isomorphism of two-connected series-parallel graphs. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 394–409. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[29] K. Mehlhorn and C.-K. Yap. Constructive hopf's theorem: or how to untangle closed planar curves. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 410–423. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[30] V. Niemi. Maximal dense intervals of grammar forms. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 424–438. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[31] P. Panangaden and E.W. Stark. Computations, residuals, and the power of indeterminacy. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 439–454. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[32] S. Rajasekaran and J.H. Reif. Nested annealing: A provable improvement to simulated annealing. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 455–472. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[33] R. Ramesh and I.V. Ramakrishnan. Nonlinear pattern matching in trees. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming,*

ICALP'88 (Tampere, Finland, July 11-15, 1988), volume 317 of *LNCS*, pages 473–488. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[34] Tao Renji. Invertibility of linear finite automata over a ring. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 489–501. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[35] H. Rohnert. Moving discs between polygons. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 502–515. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[36] S. Rudich and L. Berman. Optimal circuits and transitive automorphism groups. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 516–524. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[37] J. Schäfer. A kleene-presburgerian approach to linear production systems. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 525–534. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[38] K. Simon. On minimum flow and transitive reduction. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 535–546. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[39] J.C. Spehner. La reconnaissance des facteurs d'un langage fini dans un texte en temps linéaire. In Timo Lepistö and Arto Salomaa, editors,

Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988), volume 317 of *LNCS*, pages 547–560. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[40] H. Straubing, D. Thérien, and W. Thomas. Regular languages defined with generalized quantifiers. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 561–575. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[41] R. Tamassia. A dynamic data structure for planar graph embedding (extended abstract). In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 576–590. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[42] S. Tang and R.V. Book. Separating polynomial-time turing and truth-table reductions by tally sets (preliminary report). In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 591–599. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[43] G. Tel. Assertional verification of a timer-based protocol. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 600–614. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[44] S. Thatte. Type inference with partial types. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 615–629. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[45] P.S. Thiagarajan. Some behavioural aspects of net theory. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 630–653. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[46] P. Turakainen. The equivalence of dgsm replications on q-rational languages is decidable. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 654–666. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[47] V.V. Vazirani and M. Yannakakis. Pfaffian orientations, 0/1 permanents, and even cycles in directed graphs. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 667–681. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[48] K.W. Wagner. On restricting the access to an *np*-oracle. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 682–696. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[49] O. Watanabe. On $\leq^p_{1-tt}$ sparseness and nondeterministic complexity classes (extended abstract). In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 697–709. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[50] W.P. Weijland. Semantics for logic programs without occur check. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*,

pages 710–726. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.

[51] J.-H. You. Outer narrowing for equational theories based on constructors. In Timo Lepistö and Arto Salomaa, editors, *Proceedings of the 15th International Colloquium on Automata, Languages and Programming, ICALP'88 (Tampere, Finland, July 11-15, 1988)*, volume 317 of *LNCS*, pages 727–741. Springer-Verlag, Berlin-Heidelberg-New York-London-Paris-Tokyo-Hong Kong, 1988.